

FILTER CARTRIDGE MELT BLOWN POLYPROPYLENE



NOTE: Use chart below to specify filter.

14 - PM

Micron rating	Length	Diameter
1 μ = 01	5" = 05	2.5" = no entry
5 μ = 05	10" = 10	4.5" = BB
10μ = 10	20" = 20	
20μ = 20	30" = 30	
30μ = 30	40" = 40	
50μ = 50		

FILTER CARTRIDGE PLEATED POLYESTER



NOTE: Use chart below to specify filter.

14 - PE

Micron rating	Length	Diameter
1 μ = 01	10" = 10	2.5" = no entry
5 μ = 05	20" = 20	4.5" = BB
10μ = 10	30" = 30	
20μ = 20	40" = 40	
30μ = 30		
50μ = 50		

FILTER CARTRIDGE SPUN POLYPROPYLENE



NOTE: Use chart below to specify filter.

14 - PS

Micron rating	Length	Diameter
1 μ = 01	5" = 05	2.5" = no entry
5 μ = 05	10" = 10	4.5" = BB
10μ = 10	20" = 20	
20μ = 20	30" = 30	
30μ = 30		
50μ = 50		

FILTER CARTRIDGE COCONUT SHELL CARBON BLOCK



NOTE: Use chart below to specify filter.

14 - AB

Micron rating	Length	Diameter
1 μ = 01	5" = 05	2.5" = no entry
5 μ = 05	10" = 10	4.5" = BB
10μ = 10	20" = 20	

FILTER CARTRIDGE STRING WOUND



NOTE: Use chart below to specify filter.

14 - PW

Micron rating	Length	Diameter
1 μ = 01	10" = 10	2.5" = no entry
5 μ = 05	20" = 20	4.5" = BB
10μ = 10		
20μ = 20		
30μ = 30		
50μ = 50		

FILTER COUPLER



P/N
14-5003
14-5005

Desc
Slimline
Big Boy

KX FILTERS



MATRIKX + CTO/2

P/N	Length	Diam	micron
14-KXCTO/2	9 7/8"	2.5"	5
14-KXCTO/20	20"	2.5"	5
14-KXCTO410	9 7/8"	4.25"	5
14-KXCTO420	20"	4.25"	5

Culligan Replacement Filter (for AC15, AC30, LC50, & H83)

P/N	Length	Diam	micron
14-KXCTO2ML	11.75"	2"	5

MATRIKX + 1

P/N	Length	Diam	micron
14-KXMTRX1	9 7/8"	2.5"	0.6

MATRIKX + CR1

P/N	Length	Diam	micron
14-KXCR1	9 7/8"	2.5"	0.5

MATRIKX + Pb1

P/N	Length	Diam	micron
14-KXPB1	9 7/8"	2.5"	0.5
14-KXPB1/20	20"	2.5"	0.5

MATRIKX + 10/2

P/N	Length	Diam	micron
14-KX10/2	9 7/8"	2.5"	3

MATRIKX + 5

P/N	Length	Diam	micron
14-KX5	9 7/8"	2.5"	2
14-KX5/20	20"	2.5"	2
14-KX5420	20"	4.25"	2

CERAMIKX

P/N	Length	Diam	micron
14-KXCERAM	9 7/8"	2.5"	0.2

MATRIKX DPF

P/N	Length	Diam	micron
14-KX-DPFC	9 7/8"	2.5"	5

FILTER, CARTRIDGE

PAC (Powder Activated Carbon) IMPREGNATED CELLULOSE



P/N	Length	Diam	micron
14-0056	5	2.5	5
14-0055	9 7/8"	2.5	5
14-0080	9 7/8"	2.5	20

FILTER, CARTRIDGE

GAC (Granulated Activated Carbon)



P/N	Desc
14-DH0038T	Import, 9 7/8" x 3"
14-ORB2934	Omnipure, 9 7/8" x 3"
14-DH0038	Hydro-Flow, 9 7/8" x 3"
14-0071	Pentek, 9 7/8" x 3"
14-0072	Pentek, 20" x 3"
14-0073	Pentek, 9 7/8" x 4 3/4"
14-0074	Pentek, 20" x 4 3/4"

FILTER, CARTRIDGE, Sub Micron

POLYETHELENE



P/N	Length	Diam	micron
14-PPE0310	9 7/8"	2 1/2"	0.3

FILTER, CARTRIDGE

SMARTSCALER - Scale and Corrosion Inhibitor



Cut-away photos

Pipe w/o SmartScaler



Pipe with SmartScaler



P/N	Desc
14-AS10	9 7/8" x 2 1/2" Siliphos Dispenser

FILTER, CARTRIDGE

WATER SOFTNING



P/N	Desc
14-IONX10	Ion Exchange Resin, 9 7/8" x 2 1/2"
14-DBC-20DI	Mixed Bed, 20" x 4 1/2"

R.O. SYSTEM - 50 GPD



Complete system is boxed in one convenient package.

Includes: 3.2 Gal. (acceptance) Tank, Long Reach Faucet, Drain Saddle, Supply Adapter w/ Ball Valve, Tubing, and Tank Valve.

P/N	Desc
11-RO-550	Complete Boxed System
03-9200S	4 Filter Replacement for 11-RO-550

REPLACEMENT FILTERS

Omnipure's replacement filters for the Everpure systems are less expensive and last up to 8 times longer !

Many sizes and filter medias are available. Ask you sales representative.



Omnipure 14" Replacement Filters for Everpure Head Designs QL2, QL3, QC71, QC4

P/N	Desc
14-E5715	1µ Carbon Block w/ Lead Reduction, 3500 Gal
14-E5786	GAC and Phosphate, 2500 Gal

FILTER SYSTEM

03-441KXS

5µ Polyspun

5µ Bituminous Carbon Block



03-459S

5µ Polyspun

10µ Coconut Carbon Block



P/N	Desc
03-441KXS	w/ 1/4"C Fittings
03-459S	w/ 3/4" Male & Female Hose Fittings

REPLACEMENT FILTER SETS

03-9000KXS

(1) 5µ Polyspun Sediment
(1) 5µ KX Carbon Block



03-9001KXS

(1) 5µ Polyspun Sediment
(2) 5µ KX Carbon Block



P/N	Desc
03-9000KXS	2 Filters
03-9001KXS	3 Filters

REPLACEMENT FILTERS



14-RS23SED5 14-RS23CB5 14-RS22SED5 14-RS22CB5

CULLIGAN

P/N	Desc
14-RS23SED5	Sediment, 5µ
14-RS23CB5	Carbon Block, 5µ
14-KXCTO2ML	Carbon Block, 5µ (KX)

HYDROTECH and CLACK

P/N	Desc
14-RS22SED5	Sediment, 5µ
14-RS22CB5	Carbon Block, 5µ

CLEANING BOWL

IN-LINE, 1/4"QUICK CONNECT

P/N	Desc
07-40	Used for flushing R.O. System




OMNIPURE K-SERIES FILTERS



Use this chart to specify filter.

Example: 14-K2336JJ is a 2" x 6" Filter with Coconut Shell GAC and 1/4" Quick connect fittings on each end.




Many other Medias and End Fittings are available. Ask your salesman.

OMNIPURE Q-SERIES FILTERS



Use this chart to specify filter.

Example: 14-OQ5686 is a 2.5" x 12" Filter with GAC and Polyphosphate.



Many other Medias are available. Ask your salesman.

P/N	Desc
14-OQMB	Mounting Bracket
14-OQH4	Valved Head w/ 1/4"FIP

FILTER, IN-LINE (Import)



P/N	Desc
14-RCL1043E	10" x 2", 1/4" FIP, GAC Type 33, R.O. Polish
14-RCL104JT	10" x 2", 1/4" QC, GAC Type 33, R.O. Polish
14-RCL104NT	10" x 2", 1/4" FIP, GAC Type 33, R.O. Polish, NSF
14-SCL1004T	10" x 2", 1/4" FIP, GAC & Polyphosphate, Ice Maker